

List of All Chemicals

P Tagetes lucida (Asteraceae)

Common name(s)

Sweet-Scent Marigold; Sweet-Scent Mexican Marigold; Sweet-Mace; Anise Marigold

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
(E)(E)-FARNESOL	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(E)-ALPHA-BERGAMOTENE	Shoot	--	12.0		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(E)-ANETHOLE	Shoot	--	1425.0		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(E)-BETA-FARNESENE	Shoot	--	42.0		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(E)-BETA-OCIMENE	Shoot	--	175.0	1.55	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(E)-NEROLIDOL	Shoot	--	12.0	1.41	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(E,E)-ALPHA-FARNESENE	Shoot	--	12.0	1.0	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(Z)-BETA-OCIMENE	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
(Z)-JASMONE	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
1,8-CINEOLE	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.

Activities (67)

(-)-Chronotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
(-)-Inotropic 87 nl/ml	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Acaricide LC100=6 uM	
Allelopathic	
Allergenic	
Anesthetic	
Anthelmintic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiacetylcholinesterase IC50=41 ug/ml	
Antiallergic	J. Food Hyg. Soc. Jap. 33(6): 569.
Antibacterial 50 ppm	
Antibronchitic	
Anticariogenic	
Anticatarrh	Martindale's 29th
Anticholinesterase IC50=50-70	
Antifatigue	
Antihalitotic	American Health, 12(4): 17, 1993.
Antiinflammatory	
Antilaryngitic	
Antinociceptive	
Antipharyngitic	
Antiplaque	
Antirheumatic	
Antirhinitic	

Antisinusitic				
Antispasmodic				
Antistaphylococcic 50 ppm				
Antitussive				
Antiulcer				
CNS-Stimulant				
Candidicide				
Carcinogenic	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.			
Choleretic				
Convulsant				
Counterirritant	Martindale's 29th			
Cytochrome-P450-Inducer				
Decongestant				
Degranulant 0.3 ul/ml				
Dentifrice	Martindale's 29th			
Edemagenic inj				
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
FLavor FEMA 1-200	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Fungicide				
Gastroprotective				
Gram(+)icide				
Gram(-)icide				
Hepatotonic				
Herbicide IC50=78 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.			
Hypotensive				
Inflammatory inj				
Insectifuge				
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.			
Myorelaxant	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			
Nematicide				
Neurotoxic				
P450-Inducer				
Pediculicide 2.3 x pyrethrin				
Perfume	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Pesticide				
Rubefacient	Martindale's 29th			
Secretagogue				
Sedative				
Spasmogenic				
Surfactant				
Testosterone-Hydroxylase-Inducer				
Transdermal				
Trichomonicide LD100=1,000 ug/ml				

4-METHOXYCINNAMALDEHYDE Shoot -- -- Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of *Tagetes lucida* Cav. ssp. *lucida* essential oil. Flavor & Fragrance, 12(1): 47-52.

6,7,8-TRIMETHOXYCOUMARIN Plant -- -- Tramil

7-(3-METHYL-2-BUTENYLOXY)-COUMARIN Shoot -- -- Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of *Tagetes lucida* Cav. ssp. *lucida* essential oil. Flavor & Fragrance, 12(1): 47-52.

7-HYDROXYCOUMARIN-DIMETHYLALLYL-ETHER Plant -- -- Tramil

7-METHOXYCOUMARIN Plant -- -- Tramil

Activities (3)

Antiedemic Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (*Lavandula latifolia* Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.

Antiinflammatory Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (*Lavandula latifolia* Vill.)2). Chem. Pharm. Bull. 38(8): 2283-2284, 1990.

Antispasmodic

ALPHA-CADINENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
ALPHA-CADINOL	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
Activities (3)					
Acaricide					
Antimite					
Pesticide					
ALPHA-CALACORENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
ALPHA-COPAENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
ALPHA-CUBEBENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
ALPHA-HUMULENE	Shoot	--	12.0	-0.31	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
Activities (2)					
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. <i>Journal of Natural Products</i> 55(7): 999-1003, 1992.				
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
ALPHA-MUROLENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
ALPHA-SELINENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.	
Activities (3)					
Antimalarial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. <i>The Potential of Plants as a Source of Antimalarial Agents - A Review</i> . Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Antiplasmodial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. <i>The Potential of Plants as a Source of Antimalarial Agents - A Review</i> . Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
ALPHA-TERPINYL-ACETATE	Shoot	--	30.0	-0.27	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
ANETHOLE	Leaf	--	--	Tramil	
Activities (36)					
Allergenic					
AntiINF-kB					
AntiTNF					
Antibacterial MBC=200 ug/ml					
Antigenotoxic 40-400 mg/kg orl mus					
Antihepatotoxic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Antiinflammatory					
Antioxidant					
Antiradicular					
Antisalmonella MIC=200 ug/ml					
Antiseptic 200 ug/ml					
Antispasmodic					
Antitumor					
Antiyeast					
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidicide					
Carminative	Merck 11th Edition				
Dermatitigenic					
Digestive	Michael Castleman 1991. <i>The Healing Herbs</i> . Rodale Press, Emmaus, PA 436 pp.				
Estrogenic	Australian J. Med Herbalism, 7: 29.				
Expectorant	Martindale's 29th				
Fungicide	Wolf, R.B. Effects Of p-Methoxycinnamaldehyde From Star Anise And Related Cinnamic Acid Derivatives On Velvetleaf Germination. <i>Journal of Natural Products</i> , 49(1): 156-158, 1986.				
Gastrostimulant					

Immunostimulant	London. 290pp. Economic & Medicinal Plant Research, 1: 124.			
Insecticide	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Irritant	Rinzler, C. A. 1990. The Complete Book of Herbs, Spices and Condiments. Facts on File, New York. 199 pp.			
Lactagogue				
Leucocytogenic	Economic & Medicinal Plant Research, 1: 124.			
Mutagenic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Nephroprotective	Toxicol Appl. Pharmacol. 1996.			
Pesticide				
Secretagogue	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Secretolytic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Sweetener 13 x sucrose				
Sympathomimetic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			

ANISALDEHYDE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
--------------	-------	----	----	---

Activities (7)

Antimutagenic	Economic & Medicinal Plant Research, 6: 235.			
Fungicide				
Insecticide	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.			
Pesticide				
Tyrosinase-Inhibitor ID50=320 uM				
Tyrosinase-Inhibitor ID50=0.32 mM				
Tyrosinase-Inhibitor ID50=380-970 uM				

ANISE-KETONE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
--------------	-------	----	----	---

BETA-BISABOLENE	Shoot	--	30.0	-0.51	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
-----------------	-------	----	------	-------	---

Activities (6)

Abortifacient				
Antirhinoviral IC50=1,800?	Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (<i>Zingiber officinale</i>). Journal of Natural Products, 57(5): 658-662, 1994.			
Antiulcer IC57=100 mg/kg	Yamahara, J., et al. Stomachic principles in ginger. II. Pungent and anti-ulcer effects of low polar constituents isolated from ginger, the dried rhizoma of... <i>Yakugaku Zasshi</i> 112: 645-655 (1992).			
Antiviral IC50=1,800?	Denyer, C.V., Jackson, P., Loakes, D.M., Ellis, M.R., and Yound, D.A.B. Isolation of Antirhinoviral Sesquiterpenes From Ginger (<i>Zingiber officinale</i>). Journal of Natural Products, 57(5): 658-662, 1994.			
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			
Stomachic				

BETA-CARYOPHYLLENE	Shoot	--	80.0	-0.25	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
--------------------	-------	----	------	-------	---

BETA-CARYOPHYLLENE	Leaf	--	280.0	-0.2	Tramil
--------------------	------	----	-------	------	--------

BETA-ELEMENE	Shoot	--	18.0	-0.28	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
--------------	-------	----	------	-------	---

Activities (5)

Anticancer (Cervix)	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.			
Antigiomic				
Antiproliferant				
Antitumor (Cervix)	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.			
Apoptotic				

BETA-OCIMENE	Leaf	--	140.0	1.0	Tramil
--------------	------	----	-------	-----	--------

BETA-SELINENE	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. Flavor & Fragrance, 12(1): 47-52.
---------------	-------	----	----	---

Activities (3)

Antimalarial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.			
Antiplasmodial IC50=>50 ug/ml	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.			
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry			

CARYOPHYLLENE-OXIDE	Shoot	--	12.0	-0.37	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
---------------------	-------	----	------	-------	---

Activities (8)

Antiedemic	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (<i>Lavandula latifolia</i> Vill.)2) Chem. Pharm. Bull. 38(8): 2283-2284, 1990.
Antifeedant	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.
Antiinflammatory	Shimizu,*M., et al. 1990. Anti-inflammatory Constituents of Topically Applied Crude Drugs. IV.1) Constituents and Anti-inflammatory Effect of Paraguayan Crude Drug 'Alhucema' (<i>Lavandula latifolia</i> Vill.)2) Chem. Pharm. Bull. 38(8): 2283-2284, 1990.
Antitumor	Zheng, G-Q., Kenney, P.M., and Lam, L.K.T. Sesquiterpenes From Clove (<i>Eugenia caryophyllata</i>) As Potential Anticarcinogenic Agents. Journal of Natural Products 55(7): 999-1003, 1992.
Calcium-Antagonist ED50=32 uM gpg	
Fungicide	
Insecticide	Bettarini, F., Borgonovi, G.E., et al. 1991. Antiparasitic Compounds from East African Plants: Isolation and Biological Activity of Anonaine, Matricarianol, Canthin-6-One and Caryophyllene Oxide. Insect Sci. Applic. 14(1): 93-99, 1993.
Pesticide	

CHAVICOL	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
----------	-------	----	----	---

Activities (3)

Fungicide					
Nematicide					HerbalGram No. 17.
Pesticide					
COUMARINS	Plant	--	--		Tramil
CUBENENE	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
DELTA-CADINENE	Shoot	--	18.0	-0.28	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.

Activities (9)

Aldose-Reductase-Inhibitor					
Antiacne					
Antibacterial MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Anticariogenic MIC800 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.				
Antistreptococcic					
Cytochrome-P450-Inducer					
P450-Inducer					
Pesticide					
Testosterone-Inducer					

DIHYDRO-TAGETONE	Leaf	--	--		Tramil
DIHYDROACTINIDIOLIDE	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
ELEMOL	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.

Activities (2)

Antiacyetylcholinesterase IC50=34 ug/ml					
Antilulcer					
EO	Shoot	--	6000.0	-0.4	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
ESTRAGOLE	Shoot	--	2035.0	-0.39	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.

Activities (12)

Antiaggregant IC50=320 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.
Calcium-Antagonist IC50=257.6 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 4.4 uM/15 mos. scu mus	

/71 pp.

FLavor FEMA 4-150	Aloe Research Council - Duke write up of non-peer reviewd book by Coats and draft by Henry
Hepatocarcinogenic 0.23-0.46% diet/12 mos.	
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insecticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Mutagenic	
Perfumery	Merck 11th Edition

ESTRAGOLE Leaf -- -- Tramil

Activities (12)

Antiaggregant IC50=320 uM	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. <i>Phytotherapy Research</i> 4(3): 93, 1990.
Calcium-Antagonist IC50=257.6 uM gpg	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 4.4 uM/15 mos. scu mus	
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
FLavor FEMA 4-150	Aloe Research Council - Duke write up of non-peer reviewd book by Coats and draft by Henry
Hepatocarcinogenic 0.23-0.46% diet/12 mos.	
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Insecticide	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Mutagenic	
Perfumery	Merck 11th Edition

EUGENOL-METHYL-ETHER Leaf -- -- Tramil

Activities (5)

CNS-Depressant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
DNA-Binder	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Hypothermic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

GALLIC-ACID Leaf -- -- Tramil

Activities (62)

ACE-Inhibitor IC50=7.7 mM/l	
Analgesic	
AntiHIV	
AntiMRSA	
Antidienvirus	Economic & Medicinal Plant Research, 5: 194.
Antiallergenic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.
Antianaphylactic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiangiogenic	
Antiasthmatic	Watt, J.M., and Breyer-Brandwijk, M.G. <i>The Medicinal and Poisonous Plants of Southern and Eastern Africa</i> . 1962.
Antibacterial MIC=1,000 ug/ml	
Antibronchitic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.
Anticancer	
Anticarcinomic ED50=3	
Antiescherichic	
Antifibrinolytic	Economic & Medicinal Plant Research, 1: 53.
Antiflu	Economic & Medicinal Plant Research, 5: 194.
Antihepatotoxic	Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.7 p.93.
Antiherpetic EC50=>10 ug/ml	
Antiinflammatory	Kroes, B.H., et al. 1991. Anti-Inflammatory Activity of Gallic Acid. <i>Planta Medica</i> , 58(6): 499.
Antileishmanic EC50=4.4 ug/ml	

Antinitrosaminic					
Antioxidant IC44=33 ppm					
Antioxidant 7 x quercetin					
Antioxidant 2/3 BHA					
Antiperiodontic 10 ug/ml					
Antiperoxidant IC50=69 uM					
Antipolio	Economic & Medicinal Plant Research, 5: 194.				
Antiproteolytic 10 ug/ml					
Antiradicular 7 x quercetin					
Antiradicular IC50=4.9 uM					
Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.				
Antistaphylococcal MIC=1,000 ug/ml					
Antitumor					
Antitumor-Promoter					
Antiviral					
Apoptotic					
Astringent	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.				
Bacteristat	Lamikanra, A., Ogundaini, A.O., and Ogungbamila*, F.O. Antibacterial Constituents of Alchornea cordifolia Leaves. Phytotherapy Research 4(5): 198.				
Bronchodilator	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidicide					
Carcinogenic					
Choleretic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cyclooxygenase-Inhibitor					
Cytotoxic 500 uM					
Floral-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Gram(+)-icide MIC=1,000 ug/ml					
Gram(-)-icide MIC=1,000 ug/ml					
Hemostat					
Hepatoprotective	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.				
Immunomodulator					
Immunostimulant	McKenna, D. J., Hughes, K., and Jones, K. 2000. Green Tea Monograph. Alternative Therapies, 6(3): 61-82.				
Immunosuppressant					
Insulin-Sparing	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
NO-Inhibitor IC-26=250 uM					
Nephrotoxic	Martindale's 29th				
Pesticide					
Styptic					
Topoisomerase-I-Inhibitor	Hamada, S. I., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., Otake, N., Nagai, K. 1997. Immunosuppressive Effects by Gallic Acid and Chebulagic Acid on CTL-Mediated Cytotoxicity. Biol Pharm Bull, 20: 1017-1019.				
Xanthine-Oxidase-Inhibitor IC50=24 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. Chem. Pharm. Bull. 38(5): 1224-1229				

GAMMA-CADINENE	Shoot	--	30.0	-0.17	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
GAMMA-ELEMENE	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
GERMACRENE-D	Shoot	--	160.0	-0.28	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.

Activities (2)

Pesticide
Pheromone

GLOBULOL	Shoot	--	--		Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
----------	-------	----	----	--	---

Activities (12)

Aldose-Reductase-Inhibitor 10 ug/ml cow (weak activity)	Okada,Y,et al.1995.Search for Naturally Occurring Substances to Prevent the Complications of Diabetes.II.Inhibitory Effect of Coumarin and Flavonoid Derivatives on Bovine Lens Aldose Reductase and Rabbit Platelet Aggregation.Chem Pharm Bull43(8):1385-1387
Allergenic	Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.
Antiallergic	Lawrence Review of Natural Products, Mar-91.
Antibacterial 100 ppm	
Antispasmodic	
Antistaphylococcic	
Candidicide 100 ppm	
Cholagogue	Fitoterapia No.5-1986.
Fungicide 100 ppm	
Hepatoprotective	Yakhak Hoeji, 37: 182, 1993.
Pesticide	
Photoactive	

LEUCOANTHOCYANINS	Plant	--	--	Tramil
LIMONENE	Leaf	--	165.0	-0.27

Activities (60)

AChE-Inhibitor	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Acaricide LC100=8 uM	
Allelochemic	
Allergenic 1/20th carene	
Antiacytcholinesterase IC22-26=1.2 mM	
Antiademonic	
Antialzheimeran?	Grundy, D. L. and Still, C. C., Inhibition of acetylcholinesterases by pulegone-1,2-epoxide, Oest. Biochem. & Physiol., 23, 1985, 383-8.
Antiasthmatic	
Antibacterial	Revista Itiliana Eppos, 12: 5, 1994.
Anticancer	
Antiesophagitic	
Antifeedant	
Antiflu	Economic & Medicinal Plant Research, 5: 195.
Antiinflammatory	
Antilithic	
Antilymphomtic	
Antimetastatic (Stomach)	
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.
Antiobesity	
Antiseptic	
Antispasmodic ED50=0.197 mg/ml	Fitoterapia No.59-1984.
Antitumor	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Pancreas)	
Antitumor (Prostate)	
Antitumor (Stomach)	
Antiviral	
Apoptotic	
Bronchoprotectant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Chemopreventive	
Cholesterolytic	
Detoxicant	
Enterococontractant	J. Aromatherapy 4: 22.
Expectorant	
Flavor	
Fungiphilic	J. Agric. Food Chem. 43: 2283.
Fungistat	
GST-Inducer	
Herbicide IC50=45 uM	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Histaminic	
Immunomodulator	

Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Interleukin-6-Inhibitor	
Irritant	
Lipolytic	
Myorelaxant 50 mg/kg	
NO-Genic	
Nematicide IC=100 ug/ml	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Ornithine-Decarboxylase-Inhibitor ~750 mg/kg (diet)	
Ozone-Scavenger	
P450-Inducer	
Peristaltic	
Pesticide	
Photosensitizer	Rinzler, C. A. 1990. <i>The Complete Book of Herbs, Spices and Condiments</i> . Facts on File, New York. 199 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Transdermal	

LINALOOL	Leaf	--	--	Tramil
----------	------	----	----	--------

Activities (53)

Acaricide C90=<15 ul/l (<15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacyetylcholinesterase	
Antiallergic	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against <i>Streptococcus mutans</i> . <i>J. Agric. Food Chem.</i> 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutamaergic	
Antihistaminic	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antimange	
Antomite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. <i>New Natural Products</i> (RS164. I56. 176)
Antishock	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (<i>Flores Graminis</i> , <i>Graminis Flos</i>) used in Aromatherapy. <i>J. Ess. Oil Res.</i> , 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebowitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. <i>Compendium of Safety Data Sheets for Research and Industrial Chemicals</i> . VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	

Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances, Chap. 12 in Teranishi, R., Buttery, R.G. and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.
Perfumery	Merck 11th Edition
Pesticide	
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Sedative 200 mg/kg ipr mus (1% as active as diazepam)	
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Trichomonicide LD100=600 ug/ml	
Tumor-Promoter	
LINALOOL	Shoot -- 65.0 -0.22 Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.

Activities (53)

Acaricide C90=<15 ul/l (=<15 ppm)	
Allergenic	
Analgesic	
Anesthetic 0.01-1 ug/ml	
Antiacyetylcholinesterase	
Antiallergic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antianaphylactic	
Antibacterial MIC=1,600 ug/ml	
Anticariogenic MIC=1,600 ug/ml	Muroi, H. and Kubo, I. 1993. Combination Effects of Antibacterial Compounds in Green Tea Flavor against Streptococcus mutans. J. Agric. Food Chem. 41: 1102-1105.
Anticolic	
Anticonvulsant 200 mg/kg ipr mus	
Antiedemic	
Antiglutameric	
Antihistaminic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory	
Antileukemic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antilymphomic IC50=3.5-4.2 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antimange	
Antimite	
Antimutagenic	
Antiseptic 5 x phenol	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)
Antishock	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
Antispasmodic	Buchbauer, G., Jirovetz*, L., Nikiforov, A., Remberg, G., Raverdino, V. 1989. Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (Flores Graminis, Graminis Flos) used in Aromatherapy. J. Ess. Oil Res., 2: 185-191, 1990.
Antiviral	
Barbituate-Synergist	
Bronchorelaxant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
CNS-Depressant	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidstat	
Carminative	
Culicide LC50=156-194 mg/l	
Cytotoxic	
Expectorant	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.
FLavor FEMA 2-40	Aloe Research Council - Duke writeup of non-peer reviewed book by Coats and draft by Henry
Fungicide	Acta Botanica Sinica, 32: 49.
GABA-nergic	
Hypnotic	
Hypothermic	
Insecticide LC50=156-194 mg/l	
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Larvicide LC50=156-194 mg/l	
Mosquitofuge > Deet	
Motor-Depressant	Buchbauer et al, e.g. Buchbauer et al, 1993. Therapeutic properties of essential oils and fragrances, Chap. 12 in Teranishi, R., Buttery, R.G. and Sugisawa, H. Eds. Bioactive Volatile Compounds from Plants. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.

Pesticide					
Prooxidant	Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.				
Sedative ED=1-32 mg/kg	Wagner & Wolff, eds. 1977. New Natural Products (RS164. I56. 176)				
Sedative 200 mg/kg ipr mus (1% as active as diazepam)					
Termitifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Trichomonicide LD100=600 ug/ml					
Tumor-Promoter					

MELLEIN	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
METHYL-EUGENOL	Shoot	--	1460.0 -0.15	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.

Activities (20)

Anesthetic					
Antibacterial	Internat. J. Oriental Med. 15(4): 199, 1990+				
Anticonvulsant					
Antidote (Strychnine)					
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Antioxidant EC50=100 u/l					
Antiradicular EC50=100 u/l					
Antiseptic					
Cancer- Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Carcinogenic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.				
FLavor FEMA 5- 15	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Fungicide					
Fungistat 100 ug/ml	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.				
Insectifuge	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Myorelaxant	Fitoterapia No.61: 254, 1990.				
Narcotic					
Nematicide MIC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Sedative					

METHYL-ISOEUGENOL	Shoot	--	120.0	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
-------------------	-------	----	-------	---

Activities (15)

Anesthetic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antiaggregant IC50=56 ug/mL	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.				
Antibacterial	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antihistaminic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Antispasmodic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Cancer- Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.				
Candidicide	Laekeman, G.M., Van Hoof, L., Haemers, A., Vanden Berghe, D.A., Herman, A.G., and Vlietinck, A.J. Eugenol a Valuable Compound for In Vitro Experimental Research and Worthwhile for Further In Vivo Investigation. Phytotherapy Research 4(3): 93, 1990.				
Expectorant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
FLavor FEMA 5- 100	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Herbicide	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
Insect-attractant					
Nematicide MLC=1 mg/ml	Shoyakugaku Zasshi, 44: 183.				
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry				
Pesticide					
Toxic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				

MYRCENE	Shoot	--	75.0 -0.26	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
---------	-------	----	------------	---

Activities (22)

Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allergenic	
Analgesic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antibacterial	
Anticonvulsant	
Antimutagenic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antinitrosaminic	
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antioxidant	Jim Duke's personal files.
Antispasmodic	Jim Duke's personal files.
Chemopreventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
FLavor FEMA 0.5-9	Aloe Research Council - Duke write up of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypothermic	
Insectifuge	
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant 100-200 mg/kg	
P450-2B1-Inhibitor IC50=0.14 uM	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

MYRCENE	Leaf	40.0	50.0	-0.15	Tramil
---------	------	------	------	-------	--------

Activities (22)

ACE-Inhibitor 100 ug/ml	
Aldose-Reductase-Inhibitor 100 ug/ml	Okamura, K., Iwakami, S., Matsunaga, T. 1992. Biological Activity of Monoterpenes from Trees. Toyama-Ken Yakuji Kenkyusho Nenpo, (20): 95-101.
Allergenic	
Analgesic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antibacterial	
Anticonvulsant	
Antimutagenic	Kauderer, B., Zamith, H., Paumgartten, F.J.R., and Speit, G. Evaluation of the Mutagenicity of B-Myrcene in Mammalian Cells In Vitro. Environmental and Molecular Mutagenesis 18: 28-34, 1991.
Antinitrosaminic	
Antinociceptive 10-20 mg/kg ipr mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antinociceptive 20-40 mg/kg scu mus	Rao, V.S.N., Menezes, A.M.S., Viana, G.S.B. 1990. Effect of myrcene on nociception in mice. J. Pharm. Pharmacol. 42: 877-878, 1990.
Antioxidant	Jim Duke's personal files.
Antispasmodic	Jim Duke's personal files.
Chemopreventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
FLavor FEMA 0.5-9	Aloe Research Council - Duke write up of non-peer reviewd book by Coats and draft by Henry
Fungicide	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Hypothermic	
Insectifuge	
Irritant	Zebovitz, T. C. Ed. 1989. Part VII. Flavor and Fragrance Substances, in Keith L. H. and Walters, D.B., eds. Compendium of Safety Data Sheets for Research and Industrial Chemicals. VCH Publishers, New York. 3560-4253.
Myorelaxant 100-200 mg/kg	
P450-2B1-Inhibitor IC50=0.14 uM	
Perfumery	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Pesticide	

NEOPHYTADIENE	Shoot	--	48.0	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
---------------	-------	----	------	---

PATULETIN	Plant	--	--	Tramil
-----------	-------	----	----	--------

Activities (2)

Antispasmodic	Iwu, M.M. 1993. Handbook of African Medicinal Plants. CRC Press, Boca Raton, FL 435 pp.
Cholagogue	

PHYTOL	Shoot	--	--	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes
--------	-------	----	----	--

Activities (1)

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

POLYACETYLENES

Plant -- -- Tramil

QUERCETAGETIN

Plant -- -- Tramil

Activities (8)

Aldose-Reductase-Inhibitor IC71=<10 uM

Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. *Phytochemistry*, 23: 1885-1888.

Aldose-Reductase-Inhibitor IC29=<1 uM

AntiHIV

Antibacterial

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

Antioxidant

Nigg, H.N. and Seigler, D.S., eds. 1992. *Phytochemical Resources for Medicine and Agriculture*. Plenum Press, New York. 445 pp.

Dye

Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

HIV-RT-Inhibitor IC50=<1 ug/ml

Nakane, H., Fukushima, M., and Ono*, K. Differential Inhibition Of Reverse Transcriptase And Various DNA Polymerases By Digallic Acid And Its Derivatives. *Journal of Natural Products*, 53(5): 1234-1240, 1990.

Pesticide

SAPONINS

Plant -- -- Tramil

Activities (5)

Antihepatomic

Antimutagenic

Antitumor (Lung)

Antitumor (Ovary)

Immunomodulator

SAPTHULENOL

Shoot -- 12.0 Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of *Tagetes lucida* Cav. ssp. *lucida* essential oil. *Flavor & Fragrance*, 12(1): 47-52.

T-CADINOL

Shoot -- 6.0 -0.69 Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of *Tagetes lucida* Cav. ssp. *lucida* essential oil. *Flavor & Fragrance*, 12(1): 47-52.

TAGETONE

Leaf -- -- Tramil

Activities (2)

Juvabional

Pesticide

TANNINS

Plant -- -- Tramil

TERTHIENYL-AA

Plant -- -- Tramil

TETRAHYDROTAGETONE

Leaf -- -- Tramil

THIOPHENE

Plant -- -- Tramil

Activities (7)

Antibacterial

Martindale's 28th

Antiseptic

Candidicide

Fungicide

Nematicide

Pesticide

Phototoxic

TORREYOL

Shoot -- -- Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of *Tagetes lucida* Cav. ssp. *lucida* essential oil. *Flavor & Fragrance*, 12(1): 47-52.

Activities (2)

Pesticide

Termiticide

Material und Organismen , 24: 1, 1989.

VIRIDIFLOROL

Shoot -- -- Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of *Tagetes lucida* Cav. ssp. *lucida* essential oil. *Flavor & Fragrance*, 12(1): 47-52.

Activities (1)

Antiacetylcholinesterase IC50=<25 ug/ml

